



THE NEW 20LP MEGA DUTY DUMP TRAILER

BigTex
TRAILERS®





www.bigtextrailers.com/20LP

When it comes to mega duty dump trailers, the new Big Tex 20LP is built with performance in mind. With its Super Single Wheels and 10,000# torsion axles, this trailer is a work-horse with a 20,000# GVWR. Add to it the 7-gauge steel floor and 10" I-beam frame, the 20LP is stronger than many single wheel tandem axle dump trailers on the market. The low-profile design and optional slide-in ramps make it easier to use when loading and unloading heavy equipment, while the included tarp kit, rear stabilizer stands, and scissor hoist make this trailer fully loaded to help you tackle any job.

20LP | MEGA DUTY TANDEM AXLE DUMP TRAILER

BigTex
TRAILERS®

www.bigtextrailers.com/20LP

GVWR: 20,000#  EMPTY WEIGHT: 6,130#  LENGTH: 16'  BED WIDTH: 82.5" WIDE  COUPLER: Adjustable 2-5/16" 21,000# Demco EZ Latch



3' STEEL SIDES

The 20LP comes standard equipped with 3' high sides for maximum cubic capacity and its hefty 20,000# GVWR is made for heavy duty hauling.



BRING IT ON

Heavy-duty 10-gauge 3-foot sides let you pile on payloads up to 15,450#, while still providing access to load debris and cargo with a skid steer.



RAMP PACKAGE

Load and unload equipment like a boss with our optional slide-in ramp package.

20LP | MEGA DUTY TANDEM AXLE DUMP TRAILER

BigTex
TRAILERS®

www.bigtextrailers.com/20LP

GVWR: 20,000# lbs EMPTY WEIGHT: 6,130# LENGTH: 16' BED WIDTH: 82.5" WIDE COUPLER: Adjustable 2-5/16" 21,000# Demco EZ Latch

SPECIFICATIONS

G.V.W.R.	20,000#
G.A.W.R. (Ea. Axle)	10,000#
COUPLER	Adjustable 2-5/16" 21,000# Demco EZ Latch
SAFETY CHAINS	3/8" Grd. 70 w/Safety Latch Hook (2 each)
JACK	12,000# Side Wind Drop Leg
TONGUE	Integral with Frame (10" I-Beam, 19#)
MAIN FRAME	10" I-Beam, 19#
DUMP BODY CRMS	3" Channel, 16" Centers
DUMP BODY SIDES	36" Tall Sides (10-Gauge)
DUMP BODY TOP RAIL	3" x 2" Rectangular Tubing
FENDERS	9" x 72" 14 Ga. Diamond Plate Double Square Broke
AXLE	(2) 10,000# Oil Bath w/Electric Brakes
SUSPENSION	Torsion Axles
TIRE	ST235/75 R-17.5 Load Range J
WHEEL	17.5" x 6.75"; Black Mod, 8-Bolt
FLOOR	7-Gauge Smooth Steel
LIGHTS	L.E.D. D.O.T Stop, Tail, Turn & Clearance
ELEC. PLUG	7-Way RV

WEIGHTS & CAPACITIES

Length	Empty Weight	Payload	Box Capacity
16'	6,130#	13,870#	8.3 Cubic Yards

OPTIONAL EQUIPMENT

Category	Code	Description
JACKS	12KHJ	12,000# Elec/Hyd. Jack BY Stillwell™
RAMPS	6SIR	6.5' Slide-In Ramp Package
POWER	WRMT	Wireless Remote
POWER	5WCH	5 Watt Solar Charger
BODY	P4	4' Solid Sheet Metal Sides
BODY	RDON*	Removable Deck on the Neck - Bolt On (8' W x 6' L)

*Selecting this Option(s) will move unit to Specialty Manufacturing Line potentially causing extended lead times

DIMENSIONS

Bed Length	A	B	C
16'	192"	115-3/4"	76-1/4"

